

# Medical Marijuana Education in APRN Nursing Programs

## Purpose of the Guidelines

Over 31 US jurisdictions (including the District of Columbia), Guam, and Puerto Rico passed legislation legalizing cannabis for medical use. Several other jurisdictions also have legalized cannabis for medical use.\* Each medical marijuana program has unique characteristics. In the United States, cannabis is a Schedule I Controlled Substance. Therefore, medical cannabis is unlike most other therapeutics in that providers cannot prescribe cannabis, nor can pharmacies dispense cannabis. However, applicable jurisdiction statutes and rules provide for the manufacture, distribution, and use of cannabis for medical purposes.

These recommendations for curriculum content will provide advanced practice registered nurses (APRNs) with principles of safe and knowledgeable practice to promote patient safety when caring for patients using marijuana and when certifying a medical marijuana qualifying condition for a specific patient.

## Definitions

*Cannabis.* Any raw preparation of the leaves or flowers from the plant genus *Cannabis*. This report uses “cannabis” as a shorthand that also includes cannabinoids.

*Cannabidiol (CBD).* A major cannabinoid that indirectly antagonizes cannabinoid receptors, which may attenuate the psychoactive effects of tetrahydrocannabinol.

*Cannabinoid.* Any chemical compound that acts on cannabinoid receptors. These include endogenous and exogenous cannabinoids.

*Cannabinol (CBN).* A cannabinoid more commonly found in aged cannabis as a metabolite of other cannabinoids. It is nonpsychoactive.

*Certify* The act of confirming that a patient has a qualifying condition. Many jurisdictions use alternative phrases such as “attest”

\* In Australia, cannabis for medical use is federally legal, with states allowed to implement as they see fit. Although Bermuda has not legislated use of marijuana, their Supreme Court ruled that citizens can apply for personal licenses to possess cannabis for medical use. Cannabis for medical use is federally legal in all provinces of Canada. In New Zealand, physicians may prescribe CBD and cannabis-based products.

or “authorize”; however, 13 of 29 jurisdictions use “certify” language in their statutes.

*Clinical research.* An activity that involves studies that experimentally assign randomized human participants to one or more drug interventions to evaluate the effects on health outcomes

*Designated caregiver.* An individual who is selected by the Medical Marijuana Program qualifying patient and authorized by the Medical Marijuana Program to purchase and/or administer cannabis on the patient’s behalf. Also sometimes referred to as an “alternate caregiver.”

*Dronabinol.* The generic name for synthetic tetrahydrocannabinol. It is the active ingredient in the U.S. Food & Drug Administration (FDA)-approved drug Marinol.

*Endocannabinoid system.* A system that consists of endocannabinoids, cannabinoid receptors, and the enzymes responsible for synthesis and degradation of endocannabinoids.

*Marijuana.* A cultivated cannabis plant, whether for recreational or medicinal use. The words “marijuana” and “cannabis” are often used interchangeably in various lay and scientific literature. These guidelines will primarily use the word “cannabis.” When referring to a medical marijuana program, the guidelines will use the word “marijuana,” as it is often used within program references.

*Medical Marijuana Program (MMP.)* The official jurisdictional resource for the use of cannabis for medical purposes. Search the jurisdiction’s website or Department of Health for “medical cannabis program” or “medical marijuana program.”<sup>1</sup>

*Nabilone.* The generic name for a synthetic cannabinoid similar to tetrahydrocannabinol. It is the active ingredient in the FDA-approved drug Cesamet.

*Schedule I Controlled Substance.* Defined in the federal Controlled Substances Act<sup>2</sup> as those substances that have a high potential for abuse; no currently accepted medical use in treatment in the United States; and a lack of accepted safety for use of the substance under medical supervision.

*Tetrahydrocannabinol (THC).* One of many cannabinoids found in cannabis. THC is the primary substance responsible for most of the characteristic psychoactive effects of cannabis.<sup>3</sup>

## Recommendations

1. The APRN student shall have a working knowledge of the current state of legalization of medical and recreational cannabis use.
  - *The Drug Enforcement Agency (DEA) classifies cannabis as a Schedule I Controlled Substance. This classification not only prohibits practitioners from prescribing cannabis, it also prohibits most research using cannabis except under rigorous oversight from the government.*<sup>4</sup>
  - *The process for obtaining cannabis for federally funded research purposes is cumbersome. Currently, the only legal source of cannabis for research purposes is grown in limited quantities at the University of Mississippi.*<sup>5</sup> *The DEA sets an annual quota for cannabis grown for research purposes.*<sup>6</sup> *Applications to use this source of cannabis must be made to the FDA, DEA, and National Institute on Drug Abuse.*<sup>7</sup>
  - *Over 31 jurisdictions (including the District of Columbia), Guam, and Puerto Rico passed legislation legalizing cannabis for medical purposes. In these laws, the jurisdiction has adopted exemptions legalizing the use of cannabis for medical purposes. Although the use of marijuana pursuant to authorized MMPs conflicts with federal law and regulations, at present there is no controlling case law holding that Congress intended to preempt the field of regulation of cannabis use under its supremacy powers.*<sup>8</sup>
  - *An increasing proportion of jurisdictions have also decriminalized or legalized recreational cannabis use.*<sup>9</sup>
  - *Accordingly, the federal government's position on prosecuting the use of cannabis that is legal under applicable jurisdiction law has been set out in U.S. Department of Justice position papers. In 2009, the U.S. Attorney General took a position that discourages federal prosecutors from prosecuting people who distribute or use cannabis for medical purposes in compliance with applicable jurisdiction law; further similar guidance was given in 2011, 2013, and 2014.*<sup>10</sup> *In January 2018, the U.S. Office of the Attorney General rescinded the previous nationwide guidance specific to marijuana enforcement. The 2018 memorandum*<sup>11</sup> *provides that federal prosecutors follow the well-established principles in deciding which cases to prosecute, namely, the prosecution is to weigh all relevant considerations, including priorities set by the attorneys general, seriousness of the crime, deterrent effect of criminal prosecution, and cumulative impact of particular crimes on the community.*
2. The APRN student shall have working knowledge of the principles of an MMP.
  - *MMPs are defined and described within the statute and rules of the specific jurisdiction. The relevant statute or rules are most easily located through the jurisdiction's Department of Health and MMP.*<sup>12</sup> *Laws and rules regarding MMPs are an evolving process. Always confirm use of the most recent versions.*
  - *A health care provider does not prescribe cannabis.*
  - *The MMP will specify the qualifying conditions and the certifying process as well as the type of health care provider who can certify a qualifying condition.*<sup>13</sup>
3. The APRN student shall have an understanding of the endocannabinoid system, cannabinoid receptors, cannabinoids, and the interactions between them.
  - *Specific MMP statutes define the bona fide health care provider–patient relationship necessary for authorization to certify a patient as having a qualifying condition. Some statutes require a preexisting and ongoing relationship with the patient as a treating health care provider; others note that the relationship may not be limited to issuing a written certification for the patient or a consultation simply for that purpose.*<sup>14</sup> *Verification of the existence of the required provider–patient relationship and documentation of the certification within the jurisdiction's MMP are essential.*
  - *The MMP will specify whether an APRN can certify a qualifying condition and whether a specific course or training is required in order to participate in certifying an MMP qualifying condition.*<sup>15</sup>
  - *After the qualifying condition is certified, the patient registers with the MMP. Once registered, the patient can obtain cannabis from a jurisdiction-authorized cannabis dispensary.*
  - *Procurement and administration of cannabis for medical purposes are limited to the patient and/or the patient's designated caregiver. The MMPs will specify whether designated caregivers are permissible as well as the applicable process for registration as a designated caregiver.*<sup>16</sup>
  - *In some jurisdictions, the MMP allows an employee of a hospice provider or nursing or medical facility, or a visiting nurse, personal care attendant, or home health aide to act as a designated caregiver for the administration of medical marijuana.*<sup>17</sup>
4. The APRN student shall have an understanding of the endocannabinoid system, cannabinoid receptors, cannabinoids, and the interactions between them.
  - *The endocannabinoid system consists of endocannabinoids, cannabinoid receptors, and the enzymes responsible for synthesis and degradation of endocannabinoids.*<sup>18</sup>
  - *Discovered in 1973, this system includes a series of cannabinoid receptors throughout the body embedded in cell membranes that, when stimulated by endocannabinoids, are thought to promote homeostasis.*<sup>19</sup>
  - *Endocannabinoids are naturally occurring substances within the body, while phytocannabinoids (plant substances that stimulate cannabinoid receptors) are found in cannabis.*<sup>20</sup>
  - *The most well known of these cannabinoids is tetrahydrocannabinol (THC); however, cannabidiol (CBD) and cannabitol (CBN) are gaining interest in therapeutic use.*<sup>21</sup>
5. The APRN student shall have an understanding of cannabis pharmacology and the research associated with the medical use of cannabis.

*Due to government restrictions on research involving cannabis, the surge of legislation has outpaced research, leaving nurses with few resources when caring for patients who use medical cannabis. Therefore, information regarding medicinal use of cannabis must be derived from moderate- to high-quality evidence using randomized placebo-controlled studies. These particular studies are the most likely to elucidate causality in treatments and are the only trusted source of evidence for cannabis as a clinical intervention. Research on cannabis is an evolving body of work. As with any*

scientific literature, it is important to rely on the most recent high-quality evidence.

a. Current scientific evidence exists for the use of cannabis for the following qualifying conditions

- Moderate- to high-quality evidence exists for
  - cachexia
  - chemotherapy-induced nausea and vomiting
  - pain (resulting from cancer or rheumatoid arthritis)
  - chronic pain (resulting from fibromyalgia),
  - neuropathies (resulting from HIV/AIDS, multiple sclerosis {MS}, or diabetes)
  - spasticity (from MS or spinal cord injury).<sup>22</sup>
- No human studies have confirmed evidence for neuroprotective, anti-inflammatory, antitumoral, and antibacterial effects of cannabinoids. Some preclinical animal and cellular studies do provide evidence for those effects; however, no generalizations can be made to the human population.<sup>23</sup>
- The treatment of some symptomatology might be attributed to the more general and well-known effects of cannabis. Cannabis is a known sedative, appetite stimulant, and euphoriant. Instead of cannabis treating underlying symptoms, these three cannabis effects may only mask symptoms and increase a subjective sense of well-being, which could improve self-reported quality of life in patients who have difficulty sleeping, chronic pain, or poor appetite.<sup>24</sup>

b. Adverse effects of cannabis are influenced by the patient's condition and current medications

- The patient's propensity for the following may be exacerbated by cannabis: increased heart rate, increased appetite, sleepiness, dizziness, decreased blood pressure, dry mouth/dry eyes, decreased urination, hallucination, paranoia, anxiety, impaired attention, memory, and psychomotor performance.<sup>25</sup>
- Some participants report fatigue, suicidal ideation, nausea, asthenia, and vertigo as adverse effects of cannabis.<sup>26</sup>
- Cannabis may exacerbate symptoms associated with asthma, bronchitis, and emphysema; cardiac disease; and alcohol or other drug dependence. Additionally, people with cardiac disease or alcohol or other drug dependence, or whose illnesses may be exacerbated by cannabis use should be cautioned.<sup>27</sup>
- Cognitive impairment by cannabis may be dose- and age-dependent.<sup>28</sup>
- It is highly likely that cannabis will exacerbate symptoms of poor balance and posture in patients with dyskinetic disorders. Similarly, cannabis may worsen mental faculties in conditions that cause cognitive deficits. Patients who suffer from diseases with neurologic symptomatology may show greater cognitive impairment.<sup>29</sup>
- Higher than normal blood concentrations of cannabinoids, usually from overconsumption of edible cannabis product can cause prolonged and often debilitating psychoses or hyperemesis syndrome.<sup>30</sup>

- Cannabinoid receptors are effectively absent in the brainstem cardiorespiratory centers. This is believed to preclude the possibility of a fatal overdose from cannabinoid intake.<sup>31</sup>
- Cannabis can be a drug of abuse. Cannabis use disorder is defined as a problematic pattern of cannabis use leading to clinically significant impairment or distress; the clinical indications are included in the DSM-5.<sup>32</sup>
- Cannabis withdrawal syndrome has been identified as a syndrome seen in some patients whose cannabis use has been heavy and prolonged (i.e., usually daily or almost daily use over a period of at least a few months). The withdrawal syndrome has varying symptomatology, including insomnia, loss of appetite, physical symptoms, and restlessness initially, then irritability/anger, vivid and unpleasant dreams after a week.<sup>33</sup>

c. Variable effects of cannabis are dependent on type of product and route of administration

- The only reliably studied method for the administration of non-synthetic cannabinoids is smoked cannabis. Insufficient evidence exists for vaporized cannabis, edibles, dabbing, etc. However, FDA-approved synthetic THC drugs (dronabinol and nabilone) are administered orally or by an oromucosal route.<sup>34</sup>
- Edible cannabis products may have delayed effects.<sup>35</sup>
- Therapeutic topical applications of cannabis have not been reliably studied. Tinctures have a wide range of possible applications (oromucosal, food additive, tea, etc.) and not all methods of administration have been reliably researched. Patients must be aware that concentrations may vary from those listed and to purchase these formulations from a reliable dispensary.<sup>36</sup>
- Sublingual and mucosal sprays have the benefit of directly accessing the bloodstream. Oromucosal doses have less dosage variability than smoked cannabis and edibles, but are limited by slower absorption and lower rate of THC delivery to the brain.<sup>37</sup>
- Smoked and vaporized cannabis has the advantage of rapid absorption into the bloodstream. Vaporization creates fewer pyrolytic compounds that irritate respiratory tissue. However, both methods show significant loss of active compounds lost to combustion and exhalation.<sup>38</sup>
- Routes of administration other than oral, oromucosal, smoked, or vaporized have not been studied in a clinical setting.
- Butane honey oil (or other oils used for superheated vaporization known as "dabbing"),<sup>39</sup> hashish, and other solvent-extracted resins often carry impurities, especially when manufactured by nonprofessionals. These methods of administration have not been adequately studied in a clinical setting.

d. Principles of dosage titration

- Since medical cannabis is not an FDA drug, there is no recommended dosage.
- There is a wide variability of cannabis concentration in different cannabis preparations. Due to this wide variability, principles of dosage titration (start low, go slow) and evaluation of specific effect are beneficial.

- Patients will need to titrate their dosage to establish an efficacious and stable dosing schedule over 1 to 2 weeks.<sup>40</sup>
  - Continual patient assessment of perceived efficacy and adverse effects is recommended. Useful strategies include tracking dose, symptoms, relief, and adverse effects in a journal for review with the authorizing practitioner.
  - FDA-approved synthetic THC drugs (dronabinol and nabilone) are administered orally or by an oromucosal route with a specific dosage.
- e. Risks to particular groups of patients, such as those of child-bearing age, pregnant women, neonates, adolescents, and individuals at risk for substance abuse
- Adolescence. Many studies show a correlation between cannabis use and poor grades, high dropout rates, lower income, lower percentage of college degree completion, greater need for economic assistance, unemployment, and use of other drugs. Although these trends are related to recreational rather than medicinal cannabis use, the trends cannot be ignored but should be balanced with the benefits of cannabis for medical use.<sup>41</sup>
  - Fertility. Two preclinical studies indicate that interference with endogenous cannabinoids might increase chances of failed embryo implantation<sup>42</sup> and cannabinoids are capable of dysregulating hormones, which in turn can affect spermatogenesis.<sup>43</sup>
  - Neonates. Presently there are no reliable data for neurodevelopmental outcomes with early exposure to cannabis in neonatal life, through either breastfeeding or secondhand inhalation.<sup>44,45,46</sup>
  - Cannabis can be a drug of abuse and precautions should be taken to minimize the risk of misuse and abuse.
  - Cannabis use may exacerbate existing psychoses in those with a risk of suicide or history of suicide attempt, schizophrenia, bipolar disorder, or other psychotic conditions.<sup>47</sup>
5. The APRN student shall be able to recognize signs and symptoms of cannabis use disorder and cannabis withdrawal syndrome.
- Cannabis use disorder is defined as a problematic pattern of cannabis use leading to clinically significant impairment or distress; the clinical indications are included in the DSM-5.<sup>48</sup>
  - Cannabis withdrawal syndrome has been identified as a syndrome seen in some patients whose cannabis use has been heavy and prolonged (i.e., usually daily or almost daily use over a period of at least a few months). The withdrawal syndrome has varying symptomatology, including insomnia, loss of appetite, physical symptoms, and restlessness initially, then irritability/anger, vivid and unpleasant dreams after a week.<sup>49</sup>
6. The APRN student shall be able to identify the safety considerations for patient use of cannabis.
- Administration of cannabis for medical use can only be carried out by the certified patient and/or designated caregivers registered to care for the patient.
  - Cannabinoids have the possibility of altering the metabolic breakdown of certain drugs. Departures from normal drug metabolism can result in higher or lower than expected plasma levels, which can cause dangerous drug interactions.<sup>50</sup> Information on possible interactions is available for the synthetic cannabinoids dronabinol and nabilone on the Drug Information Portal.<sup>51</sup> The interactions listed in the Drug Information Portal are not exhaustive and not directly transferable to nonsynthetic cannabinoids. Many of the listed interactions are probable interactions, as there are not sufficient studies into cannabinoid interactions.
- Cannabis storage considerations include:
    - keeping cannabis out of the reach of children, minors, and non-registered individuals
    - storing all cannabis products in a locked area
    - keeping cannabis in the child-resistant packaging from the store
    - storing raw cannabis in a cool, dry, place
    - following labeling guidelines for storage and expiration dates
  - Disposal of unused cannabis products should be completed according to the DEA's Disposal Act.<sup>52</sup> Generally, one can locate a collection receptacle via the DEA Registration Call Center (800-882-9539).
7. The APRN student shall be aware of medical marijuana administration considerations.
- A nurse shall not administer cannabis to a patient unless specifically authorized by jurisdictional law.<sup>53</sup>
  - Instances in which the nurse may administer cannabis or synthetic THC to a patient.
    - Administration of FDA-approved synthetic THC drugs (dronabinol and nabilone) per facility formulary and policy
    - As a registered MMP designated caregiver
      - The majority of jurisdictions allow a designated caregiver to assist a patient with the medical use of cannabis.
      - These designated caregivers must meet specific qualifications and be registered with the MMP and must not practice outside of the limits of the caregiving statute.<sup>54</sup>
      - Some jurisdictions allow an employee of a hospice provider or nursing, or medical facility, or a visiting nurse, to assist in the administration of medical marijuana.<sup>55</sup>
      - Check the most current MMP statute or rules.<sup>56</sup>
      - Check facility policy regarding medical marijuana administration.
8. The APRN student shall be aware of the ethical considerations related to the care of a patient using medical marijuana.
- In addition to ethical responsibilities under the jurisdictional law, the APRN shall approach the patient without judgment regarding the patient's choice of treatment or preferences in managing pain and other distressing symptoms. Awareness of one's own beliefs and attitudes about any therapeutic intervention is vital, as nurses are expected to provide patient care without personal judgment of patients.
  - The APRN shall take all appropriate steps to ensure that the APRN is not placed in a position where there is or may be an actual conflict, or potential conflict of interest between the APRN and a cannabis dispensary or cultivation center. A conflict of interest exists when a nurse's personal interests or concerns are or may be



perceived as inconsistent with the best interest of the patient (e.g., when an APRN recommends a treatment in which the APRN has a financial stake).

- The APRN shall not certify an MMP qualifying condition for oneself or a family member. An emerging conflict of interest in the medical field is when practitioners treat their own family members. The emotional attachment to the patient may cause the practitioner's judgment to be compromised.

9. The APRN student shall follow specific employer policies and procedures, terms of the collaborative agreement, standard care arrangement, and facility policy and procedures regarding certifying a qualifying condition.

*Always check with the facility, collaborative agreement, and local Department of Health or MMP for more information on the statutes of your jurisdiction when caring for a patient who can legally use cannabis for medical purposes.*<sup>57</sup>

## References

- 1 National Conference of State Legislatures (NCSL). (2017). State Medical Marijuana Laws. Retrieved from <http://www.ncsl.org/research/health/state-medical-marijuana-laws.aspx>
- 2 Comprehensive Drug Abuse Prevention and Control Act. (1970). 21 U.S.C. § 801 – 904.
- 3 U.S. Department of Transportation. National Highway Traffic Safety Administration (NHTSA). (2107). Marijuana-Impaired Driving A Report to Congress. Retrieved from <https://www.nhtsa.gov/sites/nhtsa.dot.gov/files/documents/812440-marijuana-impaired-driving-report-to-congress.pdf>
- 4 Comprehensive Drug Abuse Prevention and Control Act. (1970). 21 U.S.C. § 801 – 904.
- 5 National Institute on Drug Abuse (NIDA). (May 2017). Information on Marijuana Farm Contract. Retrieved from <https://www.drugabuse.gov/drugs-abuse/marijuana/nidas-role-in-providing-marijuana-research/information-marijuana-farm-contract>
- 6 U.S. Department of Justice, Drug Enforcement Administration (DEA). (November 8, 2017). Established Aggregate Production Quotas for Schedule I and II Controlled Substances and Assessment of Annual Needs for the List I Chemicals Ephedrine, Pseudoephedrine, and Phenylpropanolamine for 2018. 82 FR 51873. Retrieved from <https://www.federalregister.gov/documents/2017/11/08/2017-24306/established-aggregate-production-quotas-for-schedule-i-and-ii-controlled-substances-and-assessment>
- 7 NIDA. (March 2017). NIDA's Role in Providing Marijuana for Research. Retrieved from <https://www.drugabuse.gov/drugs-abuse/marijuana/nidas-role-in-providing-marijuana-research>
- 8 Mikos, R.A. (December 12, 2012). On the Limits of Federal Supremacy: When States Relax (or Abandon) Marijuana Bans. *Cato Institute*. Policy Analysis, No. 714. Retrieved from <https://object.cato.org/sites/cato.org/files/pubs/pdf/PA714.pdf>; *Beek v. City of Wyoming*. (February 6, 2014) (Findlaw, Dist. 145816). Retrieved from <http://caselaw.findlaw.com/mi-supreme-court/1656759.html>
- 9 NCSL. (2017). State Medical Marijuana Laws. Retrieved from <http://www.ncsl.org/research/health/state-medical-marijuana-laws.aspx>
- 10 U.S. Department of Justice, Office of Public Affairs (DOJ). (October 19, 2009). Attorney General Announces Formal Medical Marijuana Guidelines. Retrieved from <https://www.justice.gov/opa/pr/attorney-general-announces-formal-medical-marijuana-guidelines>; DOJ. (June 29, 2011). Guidance Regarding the Ogden Memo in Jurisdictions Seeking to Authorize Marijuana for Medical Use. Retrieved from <https://www.justice.gov/sites/default/files/oip/legacy/2014/07/23/dag-guidance-2011-for-medical-marijuana-use.pdf>; DOJ. (August 29, 2013). Guidance Regarding Marijuana Enforcement. Retrieved from <https://www.justice.gov/iso/opa/resources/3052013829132756857467.pdf>; DOJ. (February 14, 2013). Guidance Regarding Marijuana Related Financial Crimes. Retrieved from <https://www.justice.gov/sites/default/files/usao-wdwa/legacy/2014/02/14/DAG%20Memo%20-%20Guidance%20Regarding%20Marijuana%20Related%20Financial%20Crimes%202%2014%2014%20%282%29.pdf>; DOJ. (October 28, 2014). Policy Statement Regarding Marijuana Issues in Indian Country. Retrieved from <https://www.justice.gov/sites/default/files/tribal/pages/attachments/2014/12/11/policystatementregardingmarijuanaissuesinindiancountry2.pdf>
- 11 DOJ. (January 4, 2018). Marijuana Enforcement. Retrieved from <https://www.justice.gov/opa/press-release/file/1022196/download>
- 12 NCSL. (2017). State Medical Marijuana Laws. Retrieved from <http://www.ncsl.org/research/health/state-medical-marijuana-laws.aspx>
- 13 Ibid.
- 14 Ibid.
- 15 Ibid.
- 16 Ibid.
- 17 Ibid.
- 18 Mackie K. Cannabinoid receptors: where they are and what they do. *J Neuroendocrinol* 2008; 20 Suppl 1: 10–4. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2826.2008.01671.x/full>
- 19 Ibid.
- 20 Ibid.
- 21 Pacher et al. The endocannabinoid system as an emerging target of pharmacotherapy. *Pharmacological Reviews* 2006; 58: 389–462. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2241751/>
- 22 National Academies of Sciences, Engineering, and Medicine (National Academies of Sciences). (2017). *The Health Effects of Cannabis and Cannabinoids: The Current Jurisdiction of Evidence and Recommendations for Research*. Washington, D.C.: National Academy Press; Madras, B. (2015). Update of cannabis and its medical use. Retrieved from [http://www.who.int/medicines/access/controlled-substances/6\\_2\\_cannabis\\_update.pdf](http://www.who.int/medicines/access/controlled-substances/6_2_cannabis_update.pdf)
- 23 Ibid.
- 24 Joy, J. E., Watson, S. J., Benson, J. A. (Eds.). (1999). *Marijuana and Medicine: Assessing the Science Base*. Washington, D.C.: National Academy Press Print; Fox, P., Bain, P. G., Glickman, S., Carroll, C., & Zajicek, J. (2004). The effect of cannabis on tremor in patients with multiple sclerosis. *Neurology*, 62(7), 1105–1109; Greenberg, H. S., Werness, S. A., & Pugh, J. E. (1994). Short-term effects of smoking marijuana on balance in patients with multiple sclerosis and normal volunteers.
- 25 FDA. (September 2004). Marinol (Dronabinol) Capsules. Retrieved from <https://www.fda.gov/ohrms/dockets/dockets/05n0479/05N-0479-emc0004-04.pdf>
- 26 Collin, C., Ehler, E., Waberzinek, G., Alsindi, Z., Davies, P., Powell, K., ... & Zapletalova, O. (2010). A double-blind, randomized, placebo-controlled, parallel-group study of Sativex, in subjects with symptoms of spasticity due to multiple sclerosis. *Neurological research*, 32(5), 451–459; National Academies of Sciences. (2017). *The Health Effects of Cannabis and Cannabinoids: The Current Jurisdiction of Evidence and Recommendations for Research*. Washington, D.C.: National Academy Press; Madras, B. (2015). *Update of cannabis and its medical use*. Retrieved from [http://www.who.int/medicines/access/controlled-substances/6\\_2\\_cannabis\\_update.pdf](http://www.who.int/medicines/access/controlled-substances/6_2_cannabis_update.pdf)

- 27 Hall, W., & Solowij, N. (1998). Adverse effects of cannabis. *The Lancet*, 352(9140), 1611-1616; Tashkin, D. P. (2013). Effects of marijuana smoking on the lung. *Annals of the American Thoracic Society*, 10(3), 239-247; Federal Drug Administration (FDA). (September 2004). Marinol (Dronabinol) Capsules. Retrieved from <https://www.fda.gov/ohrms/dockets/dockets/05n0479/05N-0479-emc0004-04.pdf>
- 28 Crean, R. D., Crane, N. A., & Mason, B. J. (2011). An evidence based review of acute and long-term effects of cannabis use on executive cognitive functions. *Journal of addiction medicine*, 5(1), 1; Solowij, N., & Pesa, N. (2012). Cannabis and cognition: short and long-term effects. *Marijuana and madness*, 2, 91-102.
- 29 Koppel, B. S., Brust, J. C., Fife, T., Bronstein, J., Youssof, S., Gronseth, G., & Gloss, D. (2014). Systematic review: Efficacy and safety of medical marijuana in selected neurologic disorders Report of the Guideline Development Subcommittee of the American Academy of Neurology. *Neurology*, 82(17), 1556-1563.
- 30 Calabria, B., Degenhardt, L., Hall, W., & Lynskey, M. (2010). Does cannabis use increase the risk of death? Systematic review of epidemiological evidence on adverse effects of cannabis use. *Drug and alcohol review*, 29(3), 318-330.
- 31 Glass, M., Faull, R. L. M., & Dragunow, M. (1997). Cannabinoid receptors in the human brain: a detailed anatomical and quantitative autoradiographic study in the fetal, neonatal and adult human brain. *Neuroscience*, 77(2), 299-318.
- 32 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author.
- 33 Hesse, M., & Thylstrup, B. (2013). Time-course of the DSM-5 cannabis withdrawal symptoms in poly-substance abusers. *BMC psychiatry*, 13(1), 258; American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author; Budney, A. J., Moore, B. A., Vandrey, R. G., & Hughes, J. R. (2003). The time course and significance of cannabis withdrawal. *Journal of abnormal psychology*, 112(3), 393.
- 34 FDA. (September 2004). *Marinol (Dronabinol) Capsules*. Retrieved from <https://www.fda.gov/ohrms/dockets/dockets/05n0479/05N-0479-emc0004-04.pdf>; FDA. (May 2006). *Cesamet (Nabilone) Capsules*. Retrieved from [https://www.accessdata.fda.gov/drugsatfda\\_docs/label/2006/018677s0111bl.pdf](https://www.accessdata.fda.gov/drugsatfda_docs/label/2006/018677s0111bl.pdf)
- 35 Grotenhermen, F. (2003). Pharmacokinetics and pharmacodynamics of cannabinoids. *Clinical pharmacokinetics*, 42(4), 327-360.
- 36 Haug, N. A., Kieschnick, D., Sottile, J. E., Babson, K. A., Vandrey, R., & Bonn-Miller, M. O. (2016). Training and Practices of Cannabis Dispensary Staff. *Cannabis and Cannabinoid Research*, 1(1), 244-251; Verweij, K. J., Zietsch, B. P., Lynskey, M. T., Medland, S. E., Neale, M. C., Martin, N. G., ... & Vink, J. M. (2010). Genetic and environmental influences on cannabis use initiation and problematic use: a meta-analysis of twin studies. *Addiction*, 105(3), 417-430.
- 37 Karschner, E. L., Darwin, W. D., McMahon, R. P., Liu, F., Wright, S., Goodwin, R. S., & Huestis, M. A. (2011). Subjective and physiological effects after controlled Sativex and oral THC administration. *Clinical Pharmacology & Therapeutics*, 89(3), 400-407.
- 38 Hazekamp, A., Ruhaak, R., Zuurman, L., van Gerven, J., & Verpoorte, R. (2006). Evaluation of a vaporizing device (Volcano®) for the pulmonary administration of tetrahydrocannabinol. *Journal of pharmaceutical sciences*, 95(6), 1308-1317; Herning, R. I., Hooker, W. D., & Jones, R. T. (1986). Tetrahydrocannabinol content and differences in marijuana smoking behavior. *Psychopharmacology*, 90(2), 160-162.
- 39 Stockburger, S. (2016). Forms of administration of cannabis and their efficacy. *Journal of Pain Management*, 9(4), 381
- 40 Hazekamp, A., Ware, M. A., Muller-Vahl, K. R., Abrams, D., & Grotenhermen, F. (2013). The medicinal use of cannabis and cannabinoids—an international cross-sectional survey on administration forms. *Journal of psychoactive drugs*, 45(3), 199-210; Kowal, M. A., Hazekamp, A., & Grotenhermen, F. (2016). Review on clinical studies with cannabis and cannabinoids 2010-2014. *Multiple sclerosis*, 6, 1515.
- 41 Madras, B. (2015). Update of cannabis and its medical use. Retrieved from [http://www.who.int/medicines/access/controlled-substances/6\\_2\\_cannabis\\_update.pdf](http://www.who.int/medicines/access/controlled-substances/6_2_cannabis_update.pdf); Crean, R. D., Crane, N. A., & Mason, B. J. (2011). An evidence based review of acute and long-term effects of cannabis use on executive cognitive functions. *Journal of addiction medicine*, 5(1), 1.
- 42 Park, B., McPartland, J. M., & Glass, M. (2004). Cannabis, cannabinoids and reproduction. *Prostaglandins, leukotrienes and essential fatty acids*, 70(2), 189-197.
- 43 du Plessis, S. S., Agarwal, A., & Syriac, A. (2015). Marijuana, phytocannabinoids, the endocannabinoid system, and male fertility. *Journal of assisted reproduction and genetics*, 32(11), 1575-1588.
- 44 Jaques, S. C., Kingsbury, A., Henshcke, P., Chomchai, C., Clews, S., Falconer, J., ... & Oei, J. L. (2014). Cannabis, the pregnant woman and her child: Weeding out the myths. *Journal of Perinatology*, 34(6), 417.
- 45 Jutras-Aswad, D., DiNieri, J. A., Harkany, T., & Hurd, Y. L. (2009). Neurobiological consequences of maternal cannabis on human fetal development and its neuropsychiatric outcome. *European Archives of Psychiatry and Clinical Neuroscience*, 259(7), 395-412.
- 46 Volkow, N. D., Baler, R. D., Compton, W. M., & Weiss, S. R. (2014). Adverse health effects of marijuana use. *New England Journal of Medicine*, 370(23), 2219-2227.
- 47 Wilkinson, S. T., Radhakrishnan, R., & D'Souza, D. C. (2014). Impact of cannabis use on the development of psychotic disorders. *Current addiction reports*, 1(2), 115-128.
- 48 American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author.
- 49 Hesse, M., & Thylstrup, B. (2013). Time-course of the DSM-5 cannabis withdrawal symptoms in poly-substance abusers. *BMC psychiatry*, 13(1), 258; American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author; Budney, A. J., Moore, B. A., Vandrey, R. G., & Hughes, J. R. (2003). The time course and significance of cannabis withdrawal. *Journal of abnormal psychology*, 112(3), 393.
- 50 Lynch, T., & Price, A. (2007). The effect of cytochrome P450 metabolism on drug response, interactions, and adverse effects. *Am Fam Physician*, 76, 391-6.
- 51 U.S. National Library of Medicine, National Institutes of Health. (2018). Drug Information Portal: Quick Access to Quality Drug Information. Retrieved from <https://druginfo.nlm.nih.gov/drugportal/>
- 52 DEA. (2014). Disposal Act: General Public Fact Sheet. Retrieved from [https://www.deadiversion.usdoj.gov/drug\\_disposal/fact\\_sheets/disposal\\_public.pdf](https://www.deadiversion.usdoj.gov/drug_disposal/fact_sheets/disposal_public.pdf)
- 53 NCSL. (2017). State Medical Marijuana Laws. Retrieved from <http://www.ncsl.org/research/health/state-medical-marijuana-laws.aspx>
- 54 Ibid.
- 55 Ibid.
- 56 Ibid.
- 57 Ibid.